| And  | roved       | For Release 1999/0                       | 9/08 CIA-RDP8      | 180007286005                               | 00090032-7                          |              |
|--|-------------|--|--------------------|--|-------------------------------------|--------------|
|  |             |  |                    | SAPC REZERO<br>COPY ZOF R                  | Date 31 Oc                          | юber 1957 -  |
| CONTRACT BC-200 S  | CHEC        | ULE III, Item 1-a                        |                    | List                                       | 2 REVI                              | SION 8-      |
| Configuration - B Factory Maintenance S Depot Purchase Reque |             | and                                      |                    |  |                                     |              |
|  |             | en e | The american       | pplies to this lis                         | et only                             |              |
| This list consists of:                                       | (1)         | Line Item -                              | Inis number 4      | pones to una us                            | •                                   |              |
|  | (2)         | Part Number -                            | Hycon Drawing      | Number                                     |                                     |              |
| v (*   | (3)         | Description -                            | Drawing Title      | or Purchase Pa                             | rt List Descrip                     | tion         |
|  | (4)         | Model Used On -                          |                    | are the specific<br>de item is used        |                                     | ent(s)       |
|  | (5)         | Mfg. Catalog, Ty                         | pe or Spec. Num    | ber  |                                     |              |
|  | (¢)         |  | nase Request -     |  | s requests from                     |              |
|  |             |  | int. Stores -      | This indicates ory M & O an ated by the fa | s quantities for<br>d field require | use by Fact- |
|  |             | (c) Total - Qua                          | ntities of (a) plu | s <u>(</u> b)                              |                                     |              |
|  | (7)         | Unit Price -                             |                    | apply only for the quantities ind          |                                     | the list     |
|  | (\$)<br>FOI | Total Price -                            | <b>1</b> 5         | FOIAb3a                                    | 3                                   |              |

RDP81

Appro

Approved For Release 1999/09/08 CIA-RDP81B00879R000500090032.7

Factory Maintenance Spares

Page 1 of 6

## Schedule III

List No. 2 Revision

|             |                     |            |  |                             |                                      | Qu                           | antity                      |               |                   |                 |
|-------------|---------------------|------------|--|-----------------------------|--------------------------------------|------------------------------|-----------------------------|---------------|-------------------|-----------------|
| ev.         | Line<br>Item<br>No. | Part No.   | Description                              | Model<br>Used<br>On         | Mig. Catalog Type<br>or Spec. Number | Depot<br>Purchase<br>Request | Factory<br>Maint,<br>Spares | Total         | Unit<br>Price     | To(<br>Price    |
| <b>1</b> -1 | 299                 | 732402-11  | Stripping Sponge 1/8"x1/4"               | B Cassette                  |                                      | 0                            | 100'                        | 15253         | 4.88/50           | 9.76            |
| H-2         | 180                 | 738384-1-A | Oblique Data Assembly                    | 73-B                        |                                      | 0                            | 3                           | (3)           | £15285<br>44.69   | 134.07          |
| H-3         | 181                 | 738384-2-A | Oblique Data Assembly                    | 73-B                        |                                      | 0                            | 3                           | ال            | PE 15285<br>44.69 | 134.07          |
| H-4         | 290                 | 737778-2   | "K" Solenoid                             | 73-B                        | •                                    | 0                            | 10                          | 15353         | 38.96             | <b>389</b> , 60 |
| H-5         | 291                 | 737778-3   | "K" Plunger                              | 73-B                        |                                      | 0                            | 10                          | (10)          | 12.29             | 122.90          |
| H-6         | 292                 | 737711-NC  | Pin - Retaining                          | B-Film<br>Take-up<br>Assem. |                                      | Ö                            | 40                          | ,5253<br>40   | 37.59             | 1,503.60        |
| H-7         | 293                 | 730185-174 | Dowel Pin, Steel 1/8 dia. x<br>1 1/2 lg. | HS - 732                    |                                      | <br>0                        | 40                          | 15253<br>(40) | 13.58/c           | 5,43            |
| H-8         | 294                 | 730185-175 | Dowel Pin, Steel 1/8 dia. x              | ด <i>โสเ</i> ซิมก์ได้2      | CIA-RDP81R00879R00                   | 050 <u>8</u> 0               | 90 <b>4</b> 82              | 40            | 13.58/c           | 5.43            |

Approved For Release-1999/09/08 at GIA-RDP81B00879R000500090032-7te\_31\_October\_1957

Factory Maintenance Spares

Page 2 of 6

Quantity

Schedule III

Revision

| Rev.         | Line<br>Item<br>No. | Part No.       | Description  | Model<br>Used<br>On      | Mig. Catalog Type<br>or Spec. Number                        | Depot<br>Purchase<br>Request | Factory<br>Maint.<br>Spares | Total             | Unit<br>Price | T il<br>Price |
|--------------|---------------------|----------------|--|--------------------------|---|------------------------------|-----------------------------|-------------------|---------------|---------------|
| JH - 9       | 295                 | 730185-176     | Dowel Pin, Steel 1/8 dia. x<br>1 1/2 lg. (.002 oversize) | HS-732                   |   | 0                            | 40                          | 15253             | 13.58/c       | 5.43          |
| iH-10        | 261                 |                | Item Deleted   |                          |   |                              |                             |                   | ·             |               |
| <b>H</b> -11 | 296                 | 732702-27      | <b>Bra</b> ke Disc                                       | Oblique<br>motor<br>73-B | American Motors<br>#SK206-20 AM motors                      | 11                           | · 4                         | 15 (15)           | 13.84         | 207.60        |
| H-12         | 297                 | -<br>732702-25 | Brake Plate Assy. #11421                                 | Oblique<br>Motor<br>73-B | Western Gear Corp.<br>West. Gear Dwg. #<br>S59YCI <b>BT</b> | 11                           | 4                           | (3)<br>(15)       | 14. 19        | 212.85        |
| H-13         | 298                 | 732702-26      | Brake Arm Assy. #11422                                   | Oblique<br>motor<br>73-B | Western Gear Corp.<br>(Ref. West. Gear<br>Dwg #S59YCIBT)    | 11                           | 4                           | 15253<br>(15)     | 14.28         | 214.20        |
| H-14         | 301                 | 730155-79      | Gear-Spur 48D.P.;500P.D.<br>3/16 Face,3/16 Bore s/s      | HS-732                   | PIC#G5-24 Type303   | 0                            | 10                          | (\$-\$)<br>(4-\$) | 5.11          | 51.10         |
|              | i                   |                | Approved For Release 1999                                | 109/08 : C               | IA-RDP81B00879R000  | 00090                        | 032-7                       |                   |               |               |

Approved For Release 1999/08/08 CIA-RDP81B00879R000500090032-7 31 October 1957

Page 3 of 6

Sekedule III

Revision

List No.

| Rev.        | Line<br>Item<br>No. |           | Description                                    | Model<br>Used<br>On                 | Mfg. Catalog Type or Spec. Number  | Depot<br>Purchase<br>Reguest | Factor,<br>Maint.<br>Spares | Total            | Unst<br>Price | Torr   |
|-------------|---------------------|-----------|--|-------------------------------------|------------------------------------|------------------------------|-----------------------------|------------------|---------------|--------|
| H+15        | 189                 | 738373-A  | Bearing-Gear Box-Oblique<br>Position Indicator | 73-B                                |                                    | 0                            | 6                           | 15253            | 5.96          | 35.76  |
| H-16        | 190                 | 738374-A  | Bearing-Shaft-Oblique<br>Position Indicator    | 73-B                                |                                    | 0                            | 16                          | 15/253           | 6.62          | 105.92 |
| H-17        | 300                 | 732964-NC | Bracket-Belt Shaft                             | Film<br>Drive                       |                                    | 0                            | 54                          | 12-15263<br>1854 | 5.27          | 284.58 |
| 1-18.       | 302                 | 737625-C  | Bolt-Adjust Arm Assy.                          | 73-B<br>Oblique<br>Drive            |                                    | 0                            | 30                          | 15253            | 2.60          | 78.00  |
| I-19        | 303                 | 730155-48 | Gear, Worm                                     | н <u>s-</u> 732                     | Boston Gear #HLSH                  | 0                            | 12                          | 12               | 3.37          | 40.44  |
| 1-20        | 134                 | 738192-A  | Actuator Assy.                                 | HS-732                              |                                    | 0                            | 28                          | 1525<br>28       | 6.23          | 174.44 |
| 3-21        | 279                 | 730129-39 | Switch -SPDT-Solder Term                       | HS-732                              | Electro-Snap #S3-4                 | 0                            | 150                         | 150              | 2.20          | 330.00 |
| -22<br>23 4 | 304                 | 730170-96 | BeaAbbroved For Helease 199                    | 9 <del>/69</del> /6 <del>8</del> 2: | <u>ල්ප සුවපුරු සුරවි</u> දුවේ<br>- | 05000                        | 90032                       | .57.59<br>F800   | 3.24          | 972.00 |

Work Authorisation Date 31 October 1957 • Approved For Release 1998/09/08 SPIA-RDP81B00879R000500090032-7
Page 4 of 6

Quantity

Schedule III

Revision

|      | Line        |                    |   | Model      |                                      | ot<br>hase<br>test      | ory<br>it.           | -            |                | M            |
|------|-------------|--------------------|---|------------|--------------------------------------|-------------------------|----------------------|--------------|----------------|--------------|
| lev, | Item<br>No. | Part No.           | Description                                   | Used<br>On | Mig. Catalog Type<br>or Spec. Number | Depot<br>Purch<br>Reque | Fact<br>Mair<br>Spar | Total        | Unit<br>Price  | Total<br>Pri |
| -23  | 305         | 730175-7 <b>44</b> | Screw-Soc. Hd. Cap #1/4-20 x<br>1 3/4 lg. S/S | 73-B       |                                      | 0                       | 100                  | 15253<br>100 | 34.82/c        | 34.82        |
| -24  | 306         | 730163-46          | Receptacle with lock ring &<br>Nut            | 73-B       | (M9SLSN) Winchester                  | I-4                     | 0                    | 15253        | 2,24           | 8.96         |
| [-25 | 307         | 732652-71          | Receptacle, 5 pin female                      | 73-B       | M5SLRH19C Wincheste                  | I-6                     | 0                    | 15653        | 1.75           | 10.50        |
| [-26 | 089         | 730129-26          | Switch, Milliswitch B-2                       | 73-B       | ·                                    | I - 12                  | 0                    | 12           | 2.25           | 27.00        |
| I-27 | 029         | 730125-13          | Relay-Time Delay, 5sec.<br>SPST N.O.          | 73-B       | (G.V. Controls)<br>HF-04-NO 28VD     | I-6                     | 0                    | 15253<br>6   | 24.51          | 147.06       |
| I-28 | 106         | 730125-26          | Relay-Time Delay set for 3 sec.               |            | (G.V.Controls)<br>HF-01-No-28        | I-2                     | 0                    | (5 253       | 24 <u>.</u> 51 | 49.02        |
| 1-29 | 002         | 738209-E           | Oblique Motor Assy.                           | 73-B       |                                      | I-2                     | 0                    | 15753<br>O.  | 859.97         | 1,719.94     |
|      |             |                    | Approved For Release 199                      | 9/09/08 :  | CIA-RDP81B00879R00                   | 5000                    | 90032                | 7            |                |              |

Approved For Release 1999/09/08 ticha-RDP81B00879R00050009009217 31 October 1957

Page 5 of 6

Schedule III

Revision

List No.

|              |                      |                    |   |                     |                                      | Quantity                     |                             |                      | <b>a</b> 3    |             |
|--------------|----------------------|--------------------|---|---------------------|--------------------------------------|------------------------------|-----------------------------|----------------------|---------------|-------------|
| i.           | Line<br>Itemi<br>No: | Part No.           | Description   | Model<br>Used<br>On | Mig. Catalog Type<br>or Spec. Number | Depot<br>Purchase<br>Request | Factory<br>Maint.<br>Spares | Total                | Unit<br>Price | To C        |
| <b>1-30</b>  | 068                  | 73 <b>24</b> 02-72 | Pt. Size cans of Rubber<br>Cement                                       | 73-B                | Т-161                                | I-2                          | 0                           | 15253                | 1.84/pt.      | 3.68        |
| <b>1-31</b>  | 308                  | 738043-A           | Plate Switch Back up  | HS-732              |                                      |                              | 140                         | 140                  | 1.72          | 240.80      |
| <b>1-32</b>  | 309                  | 730184-58          | Shim .253ID x .373 OD x .003 thk.                                       | HS - 732            | PIC #B3-1                            |                              | 100                         | وی دری<br>(100       | . 17          | 17.00       |
| <b>1-</b> 33 | 3 10                 | 732132 NC          | Sleeve-Pressure Roller  | Camera<br>73-B      |                                      |                              | 20                          | 15253<br>20<br>15271 | 1.66          | <b>(</b> 20 |
| H-34         | 311                  | 732102-501F        | Platen Assembly   | 73-B                |                                      |                              | 01                          | (1)                  | 712.19        | 712.19      |
| H-35         | 312                  | 7381 <b>42</b> -D  | Worm Gear- Modif  | HS-732              |                                      |                              | 12                          | O ST                 | 12.55         | 150.60      |
| H-36<br>់    | 031                  | 730125-9           | Relay -Sub-Miniture DPDT<br>24-28(VDC) with socket                      | HS-732<br>& 73B     | Allied Controls #MHO<br>-6D          |                              | 36                          | 15°253<br>36         | 20.04         | 721.44      |
| H-37         | 313                  | 730109-9           | Capacitor-Paper fixed . lMFD<br><sup>200</sup> Approved For Release 199 |                     | , <u>-</u>                           | 5000                         | 100<br><b>90032</b>         | 7                    | . 62          | 62.00       |

Approved For Release 1999/09/08 CIA-RDP81B00879R000500090032-7 —

Page 6 of 6


Schedule III

List No.

Revision\_\_

| Rev.       | Line<br>Item<br>No. | Part No.   | Description   | Model<br>Used<br>On | Mig. Catalog Type<br>or Spec. Number | Depot<br>Purchas<br>Request | Factor:<br>Maint.<br>Spares | Tota!           | Unit<br>Price     | Total<br>Pk. e     |
|------------|---------------------|------------|---|---------------------|--------------------------------------|-----------------------------|-----------------------------|-----------------|-------------------|--------------------|
| H-38       | 314                 | 738010-1-D | Błade Assy. #1                                      | HS-732              | ler. 9 carals                        | 39                          | 39                          | <del>39</del>   | ୍ୱି <b>2</b> 5.50 | → <b>994.</b> 50 ( |
| н-39       | 315                 | 738010-5-D | Blade Assy. #5                                      | HS - 732            | Mer. 9 ceruls                        | 39                          | 39                          | <del>-39-</del> | 25.50             | ,994.50            |
| H-40       | 316                 | 738038-D   | Cover- Mechanism                                    | HS-732              |                                      |                             | <u>.06</u> .                | 15253<br>(66)   | 20.66             | 123.96             |
| H-41       | 248                 | 738126-E   | Decrease quantity from 70 to 69. List 27, Item 248. |                     |                                      |                             | 01                          | 01              | <b>4.</b> 14>     | 4.13               |
|            |                     |            |   |                     | GRAND TOTAL                          |                             |                             |                 | ·                 | 11,064.21          |
| S. Section |                     |            |   |                     |                                      |                             | -                           |                 |                   |                    |
| y          |                     |            |   |                     |                                      |                             |                             |                 |                   |                    |
|            |                     |            | Approved For Release 199                            | /09/08 : (          | IA-RDP81B00879R000                   | 50009                       | 0032-                       | 7               |                   |                    |

## Approved For Release 1999/09/08: CIA-RDP81B00879R000500090032-7



SAP\$ 53 19 COPY L OF 2

Subject: Contract BC-200, Schedule III

Dear Sir:

Please find attached hereto two (2) copies of List No. 4, Revision 6, Ground Support Equipment, Factory Maintenance Spares and Depot Purchase Requests.

Rev. F-9 through F-15 are for use with Service Bulletin HG-SB9. Rev. F-27 and F-29 are for Customer A Purchase Requests. Rev. F-25. F-26 and F-28 are for Customer B Purchase Requests.

The attached list indicates by line item number the Hycon part number, item description, catalog number, quantity required for Factory Maintenance Spares, quantity requested by each Depot, unit price and total price.

Periodically this list will be revised to show subsequent revisions and the net price change.

We request that List No. 4, Revision 6, in the amount of \$2,643.85 be incorporated into the subject contract as part of Schedule III, Item 1-a.

We trust that this presentation meets with your approval.

Very truly yours,

HYCON MFG. COMPANY

FOIAb3a

Vice President, Engineering

RGK/pe

ec: JMcD

WND

RGW

RGK

DATE; 27/1/82

28 February 1958 Approved For Release 1999/09/08 : CIA-RDP84B0084 COPY 2 OF CONTRACT BC-200 SCHEDULE III Configuration - B Factory Maintenance Spares and Depot Purchase Requests. This list consists of: Line Item -This number applies to this list only, Part Number -Hycon Drawing Number Drawing Title or Purchase Part List Description (3) Description -(4) Model Used On -This will indicate the specific major component(s) on which the line item is used. Mfg. Catalog. Type or Spec. Number (5) FOIAb3a Quantity -(6) Depot Purchase Request -(1)Indicates requests from indicates requests from Factory Maint. Stores -This indicates quantities for use by Factory M & O and field requirements generated by the factory. Total - Quantities of (a) plus (b) (c) (7) Unit Price These prices apply only for this revision of the list and only for the quantities indicated. (8)

FOIAb3a

Approved For Release 1999/09/08 10 A-RDP81B00879R000500090032-7

Quantity

Schedule III

| j           | , 1                 | , ,            |  | 1                   | 1                                    | 2                            | · ·                         | ,     | 1 '           | 4                |
|-------------|---------------------|----------------|--|---------------------|--------------------------------------|------------------------------|-----------------------------|-------|---------------|------------------|
| Rev.        | Line<br>Item<br>No. | Part No.       | Description  | Model<br>Used<br>On | Mfg. Catalog Type<br>or Spec. Number | Depot<br>Purchase<br>Request | Factory<br>Maint.<br>Spares | Total | Unit<br>Price | Total<br>Pr )    |
| J-1         | 224                 | 738002-178     | Spring - Motor Brush (for<br>motor #43A173, Hycon #<br>738002-176) | HS-732              | Globe Ind, Inc.                      | 0                            | 150 ر                       | 150   | .08           | 12.00            |
| J-2         | 213                 | 738002-121     | Bead Chain Assy Chain #3<br>3" lg. CRES-2 end rings                | HS-732              |                                      | 0                            | 20 (                        | 20    | . 46          | 9.20             |
| <b>J-</b> 3 | 314                 | 738010-1 "D"   | Delete from list 28, Item 314                                      | ,                   |                                      | 0                            | 39                          | 39    | 25,50         | 994.50<br>9° 150 |
| J-4         | 315                 | 738010-5 ''D'' | Delete from list 28, Item 315                                      | ,                   |                                      | 0                            | 39                          | 39    | 25.50         | 1                |
| <b>J-</b> 5 | 100                 | 738010-2 "D"   | Delete from list 27, Item 100                                      |                     |                                      | 0                            | 30                          | 30    | 25.50         | 765.00           |
| J-6         | 101                 | 738010-3 "D"   | Delete from list 27, Item 101                                      |                     |                                      | 0                            | 30                          | 30    | 25.50         | 765.00           |
| J-7         | 102                 | 738010-4 ''D'' | Delete from list 27, Item 102                                      |                     |                                      | 0                            | 30                          | 30    | 25.50         | 765.00           |
| J-8         | 317                 | 738014-1 "H"   | Shaft - Blade #1   | HS-732              | 15280                                | 0                            | 39                          | 9     | 7.49          | 292.11           |
|             |                     |                | Approved For Release 1999  | 3/09/08 : (         | JIA-RDP81B00879R000                  | 250005                       | 0032-                       | †     |               |                  |

Work Authorization Date 28 February 1958
Approved For Release 1999/09/08; CIA-RDP81B00879R000500090032-7

Page 2 of 4

Quantit Depot Purchase Reguest Line Mode i Item Used Mig. Catalog Pipe. Unit Potal Rec. Part No. Description or Spec Number Price 15280 J-9 318 738014-2 "H" Shaft - Blade #2 HS-732 0 30 (30) 7.60 228.00 J-10 319 738014-3 "H" Shaft - Blade #3 HS-732 228.00 0 30 (30) 7.60 J-11 320 738014-4 "H" Shaft - Blade #4 HS-732 (30)228.00 30 7.60 J-12 321 738014-5 "H" Shaft - Blade #5 39 HS-732 7.49 292.11 0 **1**68 J-13 322 738011 "D" Gear - Blade Drive HS-732 46 300 0 2.75 168 J-14 323 738016 "A" HS-732 702,24 Washer - Blade 168 4.18 0 J-15 92 732732-1 "E" Cover Assy. - Access Panel 73 B 0 5 (5) 17.67 88.35 Camera (5) J-16 93 732732-2 "E" Cover Assy. - Access Panel 73 B 0 5 17.67 88.35 Camera 60 73 B Truarc #5100-31-W 11-60 . 28 16.80 J-17 325 730187-63 Ring-Retaining Approved For Release 199\$/09/08 : \$\tangle IA-RDP81B00879R00\displays00090032\frac{1}{27}

Section 141

Approved For Release 1999/09/08: CIA-RDP81B00879R000500090032-7 28 February 1958
Finction Maintenance Spaces

Pi, . . . . 3

Line Made Henri 1 40 Min Cara or Spe 17. . 1.0. Part No. Rev. Description 05 or Spec Marcher Pro J-18 068 732402-72 Pt. Cans-Rubber Cement 73-B 13.76 II-8pt 8 pt. 1.72 #T-161 J-19 1107 730125-18 Relay, Sub-Miniature DPOT HS-732 Allied Controls 0 15 (15) 17.78 266.70 MHB-6D J-20 229 738124-31 Spacer, Trip Latch . 031 thk. HS-732 .55 30 16.50 5/16 O.D. x.1285 I.D. 15286 100) 15. 200 J-21 326 730190-64 Lamp 2.3 V 3/32 dia. x 3/41g. Obl. Chicago Minature 0 100 Pos.ind Lamp #CM110-E Electro - Snap /5280 J-22 280 730129-38 Switch, SPDT - Solder HS-732 0 75 A5, 1.53 114.75 Terminals #S1-4 J-23 327 739119-NC Wedge -Lock (Pulley) 73-B 30 0 30 11.22 336.60 J-24 242 730155-96 (100) Plug - Button for 13/32 HS-732 United Carr #HS 100 50.84/c 50.84 Hole Stl. Bl. Ox. 51419 Approved For Release 1999/09/08: \$\( \text{CIA-RDP81B00879R00} \dogg 5000 \dogg 0032 \dogg 7 \)

S- -- 1.1

## Approved For Release 1999/09/08 & CIA-RDP81B00879R000500090032-7 28 February 1958 Function Maintenance Spares

Quarti-Line Mode : iten. Used Mig Catalie " pe πο. Part No. Description On or Spec Winder J-25 328 732920 - D Shaft - Motor Output 73-B 153.10 10 E-15286 738123 - F J-26 329 Bracket, Switch HS-732 7.66 76.60 0 10 15780 J-27 252 730151-31 Fuse 1 amp. Quick acting HS-732 Littlefuse 3AG312001 100 /100) 6.24/c6.24  $1/4 \times 1 1/4 1g$ . J-28 330 732970- D Dual Metering Motor 465.90 1, 397, 70 B-Film 0 Drive J-29 136 738114 - E Screw Solenoid HS-732 240.60 0 20 J-30 331 730190-72 Brush - Governor 140.00 B-Film Western Gear #8236 140.00/c Drive Motor وسونو کو (100 J-31 332 730190-73 Brush - Armature 140.00/c 140.00 B-Film Western Gear #8240 0. 100 Drive Motor 18.00/c 600 600 108.00 J-32 333 732901-"B" 73-B, Spring - Cover

Approved For Release 1999/09/08 : CIA-RDP81B00879R000500090032-7

1,577.55

Approved For Release 1999/09/08 : CIA-RDP81B00879R00 05000000808221

COPY ZOF Z

LN 167

2 January 1958

.

Subject: Contract BC-200, Schedule III

Dear Sir:

Please find attached hereto two (2) copies of List No. 2, Revision 8, Configuration B Factory Maintenance Spares and Depot Purchase Requests.

25X1A2g

Rev. H-2 and H-3 are for FAK due to their increased level of activities.

It should be noted that an item which has not been purchased on a previously approved list is herewith deleted in the amount of \$4.14.

The attached list indicates by line item number the Hycon part number, item description, catalog number, quantity required for Factory Maintenance Spares, quantity requested by each Depot, unit price and total price.

Periodically this list will be revised to show subsequent revisions and the net price changes.

We request that List No. 2, Revision 8, in the amount of \$11,064.21 be incorporated into the subject contract as a part of Schedule III, Item 1-a.

We trust that this presentation meets with your approval.

Yery truly yours,

hycon Mfg. Company

FOIAb3a

Engineering Products Division

TLB/pe

ec: JMcD

WD

RGW

NO DESCRIPTION OF THE SECOND DESCRIPTION OF